

TM 12-SPIDER

Urządzenie kotwiczące "spider"

EN 795 Type B, CEN/TS 16415



TM 12 safety spider is a component of personal protective equipment against fall from height. Spider is used to protect employees working in drainage wells, reservoirs, wells, silos etc. during lifting loads. For personal protection device must be used in conjunction with fall arrest equipment. Spider TM 12 is designed to use with RUP series brake winches (max WLL 1000kg) and RUP series rescue lifting devices (max WLL 200kg) and CRW300 device.



**VIDEO
PRODUCT PRESENTATION**

<https://vimeo.com/328122767>

PARAMETERS

Height	139-221 cm
Mounting hole diameter Ø	150-223 mm
Leg spacing	325-368 mm
Weight of tripod	72 kg
Transport dimensions	251x36x31 mm
Max. number of users for lifting and lowering	2
Max. weight of load to be lifted or lowered	1000 kg

NOGI

Material	aluminium
----------	-----------

GŁOWICA

Material	stainless steel
Finishing	powdercoat
Number of anchorage points	6

STOPKI

Material	galvanized steel
----------	------------------

ŁAŃCUCH


Material	galvanized steel
----------	------------------

VARIANTS

cat.

AT014

FIGURES



ADDITIONAL PHOTOS



PHOTOS 360 (ROTATING)

