


## Data sheet

# SKYSAFE PRO TIE BACK



## GENERAL

Art. no.:	L-0574-1,8
EAN:	4030281181552
Standard:	EN 354:2010 EN 355:2002 EN 795:2012 RFU PPE-R/11.063 V1:2018 RFU PPE-R/11.074 V1:2018

E-class number:	40-02-01-04
Customs no.:	56090000

## Data sheet

# SKYSAFE PRO TIE BACK

### GENERAL

ONE4ALL – Revolutionary, patented energy absorber with the large weight range from 50kg to 140kg that always withstands a maximum impact of less than 6 kN at a maximum absorber length of 1.75m. The final impact resistance of 22 kN, also in the absorber, before AND after a fall is exceptional as well. SKYSAFE PRO also meets the most relevant international standards in a SINGLE product.

Available in four versions with different carabiner combinations: I-web, Y-web, I-web tie-back, Y-web tie-back.

Internat. standard:

ANSI Z359.13-6/12FTFF:2013, AS/NZS

1891.1:2007, MEETS CSA Z259.11-05-E6:2010

### FEATURES

Colour:	black
Fall indicator	
Hand-washing:	40 °C
Suitable for edges:	yes
Max. service life:	10 Years
Max. number of persons:	1
Rated load:	140 KG
Patent	
Rescue Loop:	yes
Temperature:	from 45 °C to -35 °C
Suspension element:	BAND

## DIMENSIONS

Size:	1,8m
Weight:	1,15 kg

## HARDWARE

Carabiner on anchoring point side:  
SNAP HOOK 23kN

Carabiner on belt side: KOBRA TRI

## MATERIAL

Material:  
Polyester, Polyamide, Steel

Webbing material: Polyester, Polyamide